

INNOVATION



PROTECTION



DURABILITY



Product Catalogue

A NEW ERA OF TOUGH FOOTWEAR

Neptun Boot

Footwear manufacturer of superior PVC gumboots and safety footwear since 1977.

Situated on the east coast of Durban, South Africa. We pride ourselves in excellent service and quality products.





Safari Wear | PPE | Corporate Branding



Contact us



+267 77 686 764
+267 78 129 184 (WhatsApp)



sales2@microville.co.bw
anhenka@microville.co.bw
sales1@microville.co.bw



www.microville.co.bw



Gaborone: Unit 8D 36 Square 30 Plot 73872
New Industrial Phakalane Gaborone, Botswana

Ghanzi: Tau Mall (next to FNB), Ghanzi,
Botswana



INNOVATION

At Neptun Boot, we're committed to producing superior footwear protection, implementing safety features to ensure that you're protected. Having worked closely with underground mines in South Africa and around the world, we have learned how to improve the safety features of our heavy duty mining gumboots to prevent injuries that wearers experience on a day-to-day basis. We've taken feedback directly from the wearer and implemented the necessary features to keep their feet protected while working in dangerous areas or environments.

With this information and years of experience in safety footwear, we developed our unique metatarsal protection in PVC gumboots - a world first, setting us apart from the rest of the industry. This unique integrated metatarsal design allows for comfort while being flexed when wearer bends down, as well as offers maximum protection to the metatarsal. While we aim to make sure our boots are as comfortable as possible, we have also taken into serious consideration the safety aspects first. The patented design absorbs energy and disperses it should heavy objects fall on the wearer's foot, thus preventing injuries. This latest world-first integrated design originates from the predecessor Shosholoza gumboot with Metatarsal protection which won the prestigious DISA AWARD (Design Institute South Africa) in 2007 in the Mining and Industrial Category.

STIMELA XP

PRODUCT CODE
XBG25SM



Stimela XP **Metal Free** PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XBG25SPM



Stimela XP **Metal Free** PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Ballistic textile midsole 1100 N**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 / | AS/NZS 2210.3

PRODUCT CODE
XBG54SM



Stimela XP **Metal Free** PVC gumboot

Safety Features **S4 + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 / | AS/NZS 2210.3

PRODUCT CODE
XBG55SPM



Stimela XP **Metal Free** PVC gumboot

Safety Features **S5 + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Ballistic textile midsole 1100 N**
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 / | AS/NZS 2210.3



STIMELA XP

PRODUCT CODE
XBG25SMS



Stimela XP **Steel** PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XBG25SPMS



Stimela XP **Steel** PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XBG54SMS



Stimela XP **Steel** PVC gumboot

Safety Features **S4 + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XBG55SPMS



Stimela XP **Steel** PVC gumboot

Safety Features **S5 + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3





CE CLASS II
EN ISO 20345: 2011 SB + P + M FO SRA

stimeja

XP

STIMELA XP

PRODUCT CODE
XWG25SM



Stimela XP **Metal Free** PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWG25SPM



Stimela XP **Metal Free** PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Ballistic textile midsole 1100 N**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWGS4SM



Stimela XP **Metal Free** PVC gumboot

Safety Features **S4 + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWGS5SPM



Stimela XP **Metal Free** PVC gumboot

Safety Features **S5 + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Ballistic textile midsole 1100 N**
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3



STIMELA XP

PRODUCT CODE
XWG25SMS



Stimela XP **Steel** PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWG25SPMS



Stimela XP **Steel** PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWGS4SMS



Stimela XP **Steel** PVC gumboot

Safety Features **S4 + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWGS5SPMS



Stimela XP **Steel** PVC gumboot

Safety Features **S5 + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3



PRODUCT CODE
ZBBRS



Shosholoza Heavy Duty PVC gumboot

Safety Features **SB SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Semi-recycled PVC**
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
ZBG25SE



Shosholoza Heavy Duty PVC gumboot

Safety Features **SB FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Semi-recycled upper**
- ▶ Oil and acid resistant sole
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
ZBG25S



Shosholoza Heavy Duty PVC gumboot

Safety Features **SB FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
ZBG25SP



Shosholoza Heavy duty PVC gumboot

Safety Features **SB + P FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011



PRODUCT CODE

ZBG25SM



Shosholozza Heavy Duty PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Metatarsal Protector 100 J**
- ▶ SRA slip resistant
- ▶ Oil & Acid Resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE

ZBG25SPM



Shosholozza Heavy Duty PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel Midsole**
- ▶ **Metatarsal Protector 100 J**
- ▶ Oil and acid resistant sole
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011



PRODUCT CODE

ZWG25S



Shosholoza Heavy Duty PVC gumboot

Safety Features **SB FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ Oil & Acid Resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE

ZWG25SP



Shosholoza Heavy Duty PVC gumboot

Safety Features **SB + P FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel Midsole**
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE

ZWG25SM



Shosholoza Heavy Duty PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Metatarsal Protector 100 J**
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE

ZBWG25SPM



Shosholoza Heavy duty PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ **Metatarsal Protector 100 J**
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
VBBGP



Shova General Purpose PVC gumboot

Safety Features **OB SRA**

- ▶ Semi-recycled PVC
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBIGP



Shova General Purpose PVC gumboot

Safety Features **OB SRA**

- ▶ **Semi-recycled upper**
- ▶ **Virgin PVC sole**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VGBGP



Shova General Purpose PVC gumboot

Safety Features **OB SRA**

- ▶ Virgin PVC Upper
- ▶ Virgin PVC sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012


PRODUCT CODE
VBB25



Shova General Purpose PVC gumboot

Safety Features **OB FO SRA**

- ▶ Oil and acid resistant PVC
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 | AS/NZS 2210.5



PRODUCT CODE
VBBGPF



Shova **Fishing** PVC gumboot

Safety Features **OB SRA**

- ▶ Semi-recycled PVC
- ▶ SRA slip resistant
- ▶ Drainage holes
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBIGPF



Shova **Fishing** PVC gumboot

Safety Features **OB SRA**

- ▶ **Semi-recycled upper**
- ▶ **Virgin PVC sole**
- ▶ Drainage holes
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VWG25F



Shova **Fishing** PVC gumboot

Safety Features **OB FO SRA**

- ▶ Oil and acid resistant PVC
- ▶ SRA slip resistant
- ▶ Drainage holes
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VWG25FCH



Shova **Fishing Chelsea** PVC gumboot

Safety Features **OB FO SRA / General Purpose**

- ▶ Oil and acid resistant PVC
- ▶ SRA slip resistant
- ▶ Drainage holes
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012



PRODUCT CODE
VBBGPCLG



Shova **Clog** PVC gumboot

Safety Features **OB SRA**

- ▶ Semi-recycled PVC
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBBGPCLG



Shova **Clog** PVC gumboot

Safety Features **OB SRA**

- ▶ **Virgin PVC Upper**
- ▶ **Semi-recycled PVC sole**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBIGPCLG



Shova **Clog** PVC gumboot

Safety Features **OB SRA**

- ▶ **Semi-recycled Upper**
- ▶ **Virgin PVC sole**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBBGPSH



Shova **Shoe** PVC gumboot

Safety Features **OB SRA**

- ▶ Semi-recycled PVC
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012



PRODUCT CODE
VGBGPSH



Shova **Shoe** PVC gumboot

Safety Features **OB SRA**

- ▶ **Virgin PVC upper**
- ▶ **Semi-recycled PVC Sole**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBIGPSH



Shova **Shoe** PVC gumboot

Safety Features **OB SRA**

- ▶ **Semi-recycled Upper**
- ▶ **Virgin PVC sole**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012



PRODUCT CODE
VWG25A



Shova **Anti-bacterial** PVC gumboot

Safety Features **OB FO SRA**

- ▶ Oil & acid resistant PVC / Anti-bacterial additive
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 / AS/NZS 2210.5

PRODUCT CODE
VWG25



Shova **General Purpose** PVC gumboot

Safety Features **OB FO SRA**

- ▶ **Oil & acid resistant**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 | AS/NZS 2210.5

PRODUCT CODE
VWG25CLG



Shova **Clog** PVC gumboot

Safety Features **OB FO SRA**

- ▶ **Oil & acid resistant**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 | AS/NZS 2210.5

PRODUCT CODE
VWG25SH



Shova **Shoe** PVC gumboot

Safety Features **OB FO SRA**

- ▶ **Oil & acid resistant**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 | AS/NZS 2210.5



PRODUCT CODE

VWG25C



Shova **Chelsea** PVC gumboot

Safety Features **OB FO SRA**

- ▶ Oil & acid resistant PVC
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 | AS/NZS 2210.5

PRODUCT CODE

VBBGPC



Shova **Chelsea** PVC gumboot

Safety Features **OB SRA**

- ▶ **Semi-recycled PVC**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE

VGBGPC



Shova **Chelsea** PVC gumboot

Safety Features **OB SRA**

- ▶ **Virgin PVC upper**
- ▶ **Semi-recycled Sole**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012



MARINA

PRODUCT CODE
MBBGP



Marina **General Purpose** PVC gumboot

Features

- ▶ Semi-recycled PVC
- ▶ Size UK 3 - 9

PRODUCT CODE
MGBGP



Marina **General Purpose** PVC gumboot

Features

- ▶ Virgin PVC Upper
- ▶ Semi-recycled upper
- ▶ Size UK 3 - 9

PRODUCT CODE
MBBGPCLG



Marina **Clog** PVC gumboot

Features

- ▶ Semi-recycled PVC
- ▶ Size UK 3 - 9

PRODUCT CODE
MGBGPCLG



Marina **Glog** PVC gumboot

Features

- ▶ Virgin PVC Upper
- ▶ Semi-recycled sole
- ▶ Size UK 3 - 9



PRODUCT CODE
MBBGPSHO



Marina **Shoe** PVC gumboot

Features

- ▶ Semi-recycled PVC
- ▶ Size UK 3 - 9

PRODUCT CODE
MGBGPSHO



Marina **Shoe** PVC gumboot

Features

- ▶ Virgin PVC Upper
- ▶ Semi-recycled upper
- ▶ Size UK 3 - 9



PRODUCT CODE
MWG25



Marina **General Purpose** PVC gumboot

Features **OB FO SRA**

- ▶ Oil & acid resistant PVC
- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9

PRODUCT CODE
MWWGP



Marina **General Purpose** PVC gumboot

Features **OB SRA**

- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9

PRODUCT CODE
MWG25CLG



Marina **Clog** PVC gumboot

Features **OB FO SRA**

- ▶ Oil & acid resistant PVC
- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9

PRODUCT CODE
MWWGPCLG



Marina **Clog** PVC gumboot

Features **OB SRA**

- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9



- MEDICAL USE
- FOOD PROCESSING
- AGRICULTURE
- GENERAL PURPOSE USE

MARINA

PRODUCT CODE

MWG25SH0



Marina **Shoe** PVC gumboot

Features **OB FO SRA**

- ▶ Oil & acid resistant PVC
- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9

PRODUCT CODE

MWWGPSHO



Marina **Shoe** PVC gumboot

Features **OB SRA**

- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9



PRODUCT CODE
CRYGP



Clipper **Kiddies** PVC gumboot

Features

- ▶ Virgin PVC
- ▶ Reach Compliant PVC
- ▶ Size Infant UK 5 - 13 - Youth UK 1 - 3
- ▶ Colour Red Upper Yellow Sole

PRODUCT CODE
CBYGP



Clipper **Kiddies** PVC gumboot

Features

- ▶ Virgin PVC
- ▶ Reach Compliant PVC
- ▶ Size Infant UK 5 - 13 - Youth UK 1 - 3
- ▶ Colour Blue Upper Yellow Sole

PRODUCT CODE
CBCA



Clipper **Kiddies** PVC gumboot

Features

- ▶ Virgin PVC
- ▶ Reach Compliant PVC
- ▶ Size Infant UK 5 - 13 - Youth UK 1 - 3
- ▶ Colour Camo Upper Clear Sole

PRODUCT CODE
CBBR



Clipper **Kiddies** PVC gumboot

Features

- ▶ Semi-recycled PVC
- ▶ Size Infant UK 5 - 13 - Youth UK 1 - 3
- ▶ Colour Black Upper Black Sole



1977

2020

PRODUCT CODE
AABS2



SafeLite **Metal Free** Safety Boot

Safety Features **S2**

- ▶ **Composite lightweight Toe Cap - 200 J**
- ▶ 2mm Split leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
AABS3



SafeLite **Metal Free** Safety Boot

Safety Features **S3**

- ▶ Composite lightweight Toe Cap - 200 J
- ▶ **Ballistic textile midsole**
- ▶ 2mm Split leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
ASBS2



SafeLite **Metal Free** Safety Shoe

Safety Features **S2**

- ▶ **Composite lightweight Toe Cap - 200 J**
- ▶ 2mm Split leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
ASBS3



SafeLite **Metal Free** Safety Shoe

Safety Features **S3**

- ▶ Composite lightweight Toe Cap - 200 J
- ▶ **Ballistic textile midsole**
- ▶ 2mm Split leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011



PRODUCT CODE
AABS2



SafeLite **Metal Free** Safety Chelsea Boot

Safety Features **S2**

- ▶ Composite lightweight Toe Cap - 200 J
- ▶ 2mm Full grain cow leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
AABS3



SafeLite **Metal Free** Safety Chelsea Boot

Safety Features **S2**

- ▶ Composite lightweight Toe Cap - 200 J
- ▶ 2mm Full grain cow leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011







Safari Wear | PPE | Corporate Branding



Contact us



+267 77 686 764
+267 78 129 184 (WhatsApp)



sales2@microville.co.bw
anhenka@microville.co.bw
sales1@microville.co.bw



www.microville.co.bw



Gaborone: Unit 8D 36 Square 30 Plot 73872
New Industrial Phakalane Gaborone, Botswana

Ghanzi: Tau Mall (next to FNB), Ghanzi,
Botswana